

360° RESCUE CAMERA



STRUCTURAL COLLAPSE

CONFINED SPACE



HAZMAT

VEHICLE EXTRICATION

TRENCH RESCUE

HIGH-ANGLE RESCUE

INVESTIGATIONS



FIRSTLOOK360


Ultra Ruggedized Housing

All Glass Hard
Coated Lens

LED Multi-Function
Indicator


Power Button

High-Speed Wired
Connection Port



Threaded Anchor Point

Environmental Lid /
Speaker Microphone Lid



Lens Protection Ribs

Microphone

Speaker

Dual High Gain Antenna

High Luminosity
Wide Angle LEDs

Hot-Swappable Protected
Li-ion Batteries

Telescoping Camera
Boom & Eye Hook Mount

USAR KIT 1



1. FL360 Camera + FL360 Speaker Microphone Battery Lid
2. FL360 Rechargeable Li-ion Battery with Protection Circuit x4 + FL360 Smart Battery Holder
3. FL360 Collapsible/Telescoping Camera Boom with sling attachment points
4. FL360 Grip Handle with Camera Support + Rail Mount
5. FL360 Headset (Behind Head/Double Sided)
6. FL360 Environmental Battery Lid
7. FL360 Battery Compartment Tool

8. FL360 Double Socket Mounting Arm + FL360 Boom Mount with 1" Ball
9. FL360 Multi-Charger for Batteries/Tablet (with Vehicle Charging Adapter)
10. FL360 Power Bank Battery (10,050 mAh)
11. FL360 Tablet 10" Android with LTE
12. FL360 Tethering Cable with Connectors

13. FL360 Coiled Cable with Connectors
14. FL360 Rear Attachment Eye Hook
15. FL360 Two Point Shoulder Sling
16. FL360 CR123A Adapter Tube x2
17. FL360 Utility Bag



FIRSTLOOK360

The First Wireless 360° Technical Rescue Camera

- ☒ **EASY TO USE**
- ☒ **RELIABLE**
- ☒ **RUGGED**
- ☒ **INTUITIVE**
- ☒ **NO MECHANICS**
- ☒ **SHAREABLE**
- ☒ **MOBILE INTEGRATED**



HD 360° VIDEO



WIRELESS AND WIRED



MULTI LEVEL LED LIGHTING



TWO-WAY AUDIO



POWERED BY FL360 APP



GPS / DATE STAMPED



MAP OVERLAY



RUN TIME - 5 HOURS*



FL360

ADVANCING TECHNICAL RESCUE

TECHNICAL SPECS

CAMERA

Optical

Object Distance	Approx. 1cm – ∞ from camera lens
Exposure Control	Individual AE per sensor
Image Sensor	3.4 MP 1/3" CMOS sensor (2.2um pixels)
Lens	f/2.0 (9-Glass)
Field of View	360° Effective Coverage 2x200° (HxVxD)

General

Live Streaming Resolution	960s HD - Dual 960p @ 30fps (1920x960)
Recording Medium	Tablet Storage (microSD Expandable to 256GB)
Batteries	6800mAH Li-ion - Removable + Hot Swappable
Alternative Power Source	4x CR123A Lithium (2 Battery Adapter Tubes included)
Operating Temperature Range	-10°C >--< 60°C
Audio	Speaker and microphone (2-way communication)
Wireless Connectivity	Wi-Fi 801.11n MIMO (Dual Antennas) 2.4GHz
Wired (Coiled Cable)	Expanded length 10ft

MECHANICAL

Camera Diameter	1.95"
Mechanical Dimensions	10" x 1.95" Ø
Construction	Aircraft Grade Aluminum (6061) and Glass Reinforced Polymer
Water & Dust Immersion Rating	IP68 (with Environmental Lid)

WARRANTY: FL360 is warranted to be from all defects in material and workmanship under operational use for period of 1 year. See website or user guide for more details. Patent



Authorized Agent:

Emergency Safety Solutions

Accelerator Building
Masdar City
Abu Dhabi
UAE

info@ess-uae.me

+971 50 661 2936 / +971 50 811 2313